FORM PTO-1449 (modified) To: U.S. Department of Commerce (PW FORM PAT-1449) Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT Date: April 14, 2003 Page 1 of 3 U.S. PATENT DOCUMENTS Examiner Document Number Date Name (Family Name)	Dkt. No.	t Ref. - 4-30-0141C3
INFORMATION DISCLOSURE STATEMENT BY APPLICANT Date: April 14, 2003 Page 1 of 3 U.S. PATENT DOCUMENTS Examiner' Document Date Name	Applicant: REFF et al. Appln. No.: 09/888,639 Filing Date: June 26, 2001	4-30-0141C3
Date: April 14, 2003 Page 1 of 3 U.S. PATENT DOCUMENTS Examiner' Document Date Name	Applicant: REFF et al. Appln. No.: 09/888,639 Filing Date: June 26, 2001	4-30-0141C3
Date: April 14, 2003 Page 1 of 3 U.S. PATENT DOCUMENTS Examiner' Document Date Name	Appln. No.: 09/888,639 Filing Date: June 26, 2001	
U.S. PATENT DOCUMENTS Examiner' Document Date Name	Filing Date: June 26, 2001	
U.S. PATENT DOCUMENTS Examiner' Document Date Name		
U.S. PATENT DOCUMENTS Examiner' Document Date Name		
Examiner' Document Date Name		Jnit: 1644
S Number BANADOOV (Family Name	Class Sub	Filing
Number MM/YYYY (Family Name	of First Inventor) Clas	1
nitials*		(if appropriate)
AR 5,474,771 12/1995 Lederman		PENE!
BR 5,876,718 03/1999 Noelle et al.		"- VEIV
CR 5,902,585 05/1999 Noelle et al.		APR 1 ~
DR 5,597,563 01/1997 Beschorner		
ER 6,056,956 05/2000 Cobbold et al.	TECI	1 CENTED 400
FR 6,403,091 06/2001 Lederman et a	I. I - I - I	H CENTER 1600
FOREIGN PATENT DOCUMENTS	Abstract	ITATISTATION
	ntor Name	Available
Number MM/YYYY	Factoria	I No. Englace las-
	Enclosed	No Enclose No
GR W094/04570 03/1994 PCT		
HR WO93/09812 05/1993 PCT		-
IR WO93/08207 04/1993 PCT IJR EP0555880 08/1993 EPO		+ +
		
KR EP0585943 03/1994 EPO		
MR MR		+
	Portinent Pages, etc.)	
OTHER (Including in this order Author, Title, Periodical Name, Date NR MARKEES et al., "Tolerance to islet xenografts"	nduced by dual manipulation of	
antigen presentation and co-stimulation," <i>Trans</i> OR GERRITSE et al., "CD40-CD40 ligand interaction		+
encephalomyelitis and multiple sclerosis.," <i>Proc</i>		
2504, (1996).		
PR TISCH et al., "Antigen-specific immunotherapy: cell-mediated autoimmunity?," <i>Proc. Natl. Acad</i>		
QR SHARKEY et al., "Evaluation of a complementa		
(humanized) anti-carcinoembryonic antigen mo		
and clinical studies," Cancer Res., 55(23 Supplimental RR LARSEN et al., "CD40-gp39 interactions play a		+
rejection. Suppression of allograft rejection by b		
pathway," Transplantation, 61:4-9, (1996).		
SR ROSSINI et al., "Induction of immunological tole Transplantation, 5:49-52, (1996).	rance to islet allografts," Cell	
TR BHATIA et al., "9th Intl. Congress of Immunolog USA, p. 311, (1995).	y," San Francisco, California,	
UR DURIE et al., "Allogeneic Tolerance Induced by		
	1, (1991).	
the Ligand for CD40," FASEB Journal, 8 (4):a47 VR MONACO, "," Immunomethods, 2:159-170, (19)		

		_					
•	, _	XR	WEE et al., "Anti-O mAb therapy significantly delays the alloanody response	İ			
1	FIP		in a cynomolgus renal transplant model.				
		6)	Transplantation," Transplantation, 58:261-264, (1994).				
AF	RIA	YR CV	PAUL et al., "," Fundamental Immunology, Raven Press, p. 242, (1993).				$\vdash\vdash$
		270 2	MARSHALL et al., "The molecular basis for T cell help in humoral immunity: CD40 and its ligand, gp39," <i>J. Clin. Immunol.</i> , 3(3):165-173, (1993).				
.7%	R 1 4	AMPA	CLARK AND LEDBETT ER, "How B and T Cells Talk to Each Other," <i>Nature</i> , 367:425-428, (1994).				
*		DDI	ARUFFO et al., "The CD40 ligand, gp39, is defective in activated T cells from patients with X-linked Hyper-IgM Syndrome," Cell, 72:291-300, (1993).				
*			KORTHAUER et al., "Deffective expression of T cell CD40 ligand causes X-linked immunodeficiency with hyper-lgM," <i>Nature</i> , 361:539-541 (1993).				Ш
•		DDR	DISANTO et al., "CD40 ligand mutations in X-linked immunodeficiency with hyper-lgM," <i>Science</i> , 259:990-993 (1993).				
*		EER	ALLEN et al., "CD40 ligand gene defects responsible for X-linked Hyper-IgM syndrome," Science, 259:990-993, (1993).		_		
*		FFR	RANHEIM et al., "Activated T cells induce expression of B7/BB1 on normal or leukemic B cells through a CD40-dependent signal," <i>J. Exp. Med.</i> , 177:925-935, (1993).			Ŋ	
*		GGR	FOY et al., "In vivo CD40-gp39 interactions are essential for thymus-dependent humoral immunity. II. Prolonged suppression of the humoral immune response by an antibody to the ligand for CD40, gp39," <i>J. Exp. Med.</i> , 178:1567-1575, (1993).	TECH GENTER TO	Pax ,	ECE	
*		HHR	LIN et al., "Long-term acceptance of major histocompatibility complex mismatched cardiac allografts induced by CTLA4Ig plus donor-specific transfusion," <i>J. Exp. Med.</i> , 178:1801-1806 (1993).	ERIO		1 2003	マン
*		IIR	HARRIS, "Therapeutic antibodies – the coming of age," <i>TIBTECH</i> , 11:42-44, (1993).		2900	•	
*		JJR	NOELLE et al., "A 39-kDa protein on activated helper T cells binds CD40 and transduces the signal for cognate activation of B cells," <i>Proc. Natl. Acad. Sci. USA</i> , 89:6550-6554, (1992).	1			
*		KKR	NOELLE et al., "CD40 and its ligand, an essential ligand-receptor pair for thymus-dependent B-cell activation," <i>Immunol. Today</i> , 13:431-433, (1992).				
*		LLR	HOLLENBAUGH et al., "The human T cell antigen gp39, a member of the TNF gene family, is a ligand for the CD40 receptor: expression of a soluble form of gp39 with B cell co-stimulatory activity," <i>EMBO J.</i> , 11:4313-4321, (1992).				
*		MMR	ARMITAGE et al., "Molecular and biological characterization of a murine ligand for CD40," <i>Nature</i> , 357:80-82, (1992).				
*		NNR	LANE et al., "Activated human T cells express a ligand for the human B cell-associated antigen CD40 which participates in T cell-dependent activation of B lymphocytes," <i>Eur. J. Immunol.</i> , 22:2573-2578, (1992).				
*		OOR	LEDERMAN et al., "Identification of a novel surface protein on activated CD4+ T cells that induces contact-dependent B cell differentiation (help)," <i>J. Exp. Med.</i> , 175:1091-1101, (1992).				
*		PPR	SPRIGGS et al., "Recombinant Human CD40 ligand stimulates B cell proliferation and Immunoglobulin E secretion," <i>J. Exp. Med.,</i> p176:1543-1550, (1992).				
*		QQR	LEDERMAN et al., "Molecular interactions mediating T-B lymphocyte collaboration in human lymphoid follicles," <i>J. Immunol.</i> , 149(12):3817-3826, (1992).				
•		RRR	FANSLOW et al., "Soluble for ms of CD40 inhibit biological responses of human B cells," <i>J. Immunol.</i> , 149:655-660, (1992).				
		SSR	EYNON et al., "Small B cells as antigen-presenting cells in the induction of tolerance to soluble protein antigens," <i>J. Exp. Med.</i> , 175:131-138, (1992).				
*		TTR	LINSLEY et al., "Immunosuppression in vivo by a soluble form of the CTLA-4 T cell activation molecule," <i>Science</i> , 257:792-795, (1992).				
1	<u> </u>		LENSCHOW et al., "Long-term survival of xenogeneic pancreatic islet grafts induced by CTLA4lg," <i>Science</i> , 257:789-790, (1992).				

MY	P						
0.	16	V)R	TURKA et al., "T-c. Etivation by the CD28 ligand B7 is required or cardiac allograft rejection in vivo," <i>Proc. Natl. Acad. Sci. USA</i> , 89:11102-11105, (1992).				
APR 1	4 200	NEW YORK	WALDMANN, "Immune receptors: targets for therapy of leukemia/lymphoma, autoimmune diseases and for the prevention of allograft rejection," <i>Annu. Rev. Immunol.</i> , 10:675-704, (1992).				
THI	DEMIN	XXR	NOELLE et al., "T helper Cells," Curr. Opin. Immunol., 4:333-337, (1992).				
•		YYR	YELLIN et al., "A human CD4- T cell leukemia subclone with contact-dependent helper function," <i>J. Immunol.,</i> 147:3389-3395, (1991).				
*		ZZR	WALDMANN, "Monoclonal antibodies in diagnosis and therapy," <i>Science</i> , 52:1657-1662, (1991).				
*		AAAR	BARTLETT et al., "Cognate interactions between helper T cells and B cells. IV. Requirements for the expression of effector phase activity by helper T cells," <i>J. Immunol.</i> , 145(12):3956-3962, (1990).				
*		BBBR	HODGKIN et al., "Separation of events mediating B cell proliferation and Ig production by using T cell membranes and lymphokines," <i>J. Immunol.</i> , 145(7):2025-2034, (1990).				
*		CCCR	ARUFFO et al., "CD44 is the principal cell surface receptor for hyaluronate," Cell, 61:1303-1313, (1990).				
*		DDDR	STAMENKOVIC et al., "A B-lymphocyte activation molecule related to the nerve growth factor receptor and induced by cytokines in carcinomas," <i>EMBO J.</i> , 8(5):1403-1410, (1989).	TEGH CENTER TOUR		APA	前 の
*		EEER	PAULIE et al., "The human B lymphocyte and carcinoma antigen, CDw40, is a phosphoprotein involved in growth signal transduction," <i>J. Immunol.</i> , 142:590-595, (1989).	NEW 16		1 7 20	EW
*		FFFR	SHARABI et al., "Mixed Chimerism and permanent specific transplantation tolerance induced by a nonlethal preparative regimen," <i>J. Exp. Med.</i> , 169:493-502, (1989).	10 Co. c.	ADDODO	2003	Ü
*		GGGR	DILLMAN, "Monoclonal antibodies for treating Cancer," Ann. Intern. Med., 111(7):592-603, (1989).				
*		HHHR	WALDMANN, "Manipulation of T cell responses with monoclonal antibodies," <i>Annu. Rev. Immunol.</i> , 7:407-444, (1989).				
*		IIIR	COBBOLD et al., "Monoclonal antibodies to promote marrow engraftment and tissue graft tolerance," <i>Nature</i> , 323:164-166, (1986).				
		JJJR 9	NORMAN et al., "Treatment of Cat Allergy With T-cell Reactive Peptides," American Journal of Respiratory and Critical Care Medicine, 154:1623-1628, (1996).				
			FUKAURA et al., "Induction of Circulating Myelin Basic Protein and Proteolipid Protein-Specific Transforming Growth Factor-\$\beta\$1-Secreting Th3 T Cells by Oral Administration of Myelin in Multiple Sclerosis Patients," Journal of Clinical Investigation, 98:70-77, (1996).				
		LLLR	WEINER et al., "Oral Tolerance: Immunologic Mechanisms and Treatment of Animal and Human Organ-Specific Autoimmune Diseases by Oral Administration of Autoantigens," <i>Annual Review of Immunology</i> , 12:809-837, (1994).				
			MORELAND et al., "Use of a Chimeric Monoclonal Anti-CD4 Antibody in Patients With Refractory Rheumatoid Arthritis," <i>Arthritis and Rheumatism</i> , 36:307-318, (1993).				
		•	VARNEY et al., "Influence of Grass Pollen Immunotherapy on Cellular Infiltration and Cytokine mRNA Expression During Allergen-Induced Late-Phase Cutaneous Responses," <i>Journal of Clinical Investigation</i> , 92:644-651, (1993).				
	/	OOOR	TRENTHAM et al., "Effects of Oral Administration of Type II Collagen on Rheumatoid Arthritis," <i>Science</i> , 261:1727-1730, (1993).			<u> </u>	
Exam	iner	(MM	Date Considered:				

EXAMINER: Pleas initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicants.

Asterisk (*) indicates that the references were cited by or submitted to the Office in parent application no. 09/355,522, filed October 22, 1999, which is relied upon for an earlier filing date under 35 U.S.C. §120. Thus, copies of these references are not attached. 37 C.F.R. §1.98(d).